

Certificate of Analysis

Polyethylene Glycol 8000

BioUltra, For molecular biology

Product No.: JS0022
Batch No.: JJSD0965KJ8
CAS No.: 25322-68-3
Formula: HO(CH₂CH₂O)_nH
Storage At: RT
Quality Release Date: 20/Aug/2023
Recommended Retest Date: 19/Aug/2026

TEST	SPECIFICATION	RESULT
AVERAGE MN	7000-9000	PASS
PH	4-7	PASS
MELTING POINT (°C)	59-64	PASS
RESIDUE ON IGNITION	≤0.2	PASS
VISCOSITY(MM ² /S /)	16-18	PASS
APPEARANCE	WHITE TO OFF-WHITE FLAKES,POWDER,FLAKE OR CRYSTALS	PASS
INFRARED SPECTRUM	CONFORMS TO STRUCTURE	PASS

Clara Chen, Manager

Quality Control

Hongkong, China

JSENB(HK) warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. For further inquiries, please contact Technical Service or authorized agent according to the batch bar number of the out-of-box list of the product department. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.